

**bizhub** C3300i





Giving Shape to Ideas

#### **CUSTOMER BENEFITS**



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customised user interface

## **OPTIONS**

CONNECTIVITY
Wireless LAN UK-221
USB I/F kit EK-608
USB I/F kit EK-609
NFC Interface EK-P10
Interface cable for CSRC modem EK-P11
Biometric authentication AU-102
ID card reader
<b>Mountkit</b> MK-P08



# Mobile connectivity








Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup









### **FINISHING FUNCTIONALITIES**



## DESCRIPTIONS

#### CONNECTIVITY

CONNECTIVITI	
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608USBI/Fkit	USB keyboard connection
EK-609USBI/Fkit	USB keyboard connection; Bluetooth
EK-P10NFC interface	To connect with Android mobile devices
EK-P11 Interface cable for CSRC r	modem GPRS modem connection for CSRC
AU-102Biometric authenticaton	Finger veinscanner
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

WT-P03Workingtable	Authentication device placement
KP-P0310-Keypad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
CU-202 Air cleaning unit	Improving indoor air quality by reduced emissions
MK-P09 Mount kit	Installation kit for Air cleaning unit
MEDIA INPUT PF-P20 Paper tray	500 sheets, A4, 60-90 g/m²
PF-P20 Paper tray	500 sheets, A4, 60-90 g/m <sup>2</sup> To achieve comfortable height for operation
	, , , , , , , , , , , , , , , , , , , ,
PF-P20 Paper tray PF-P22 Height adjustment unit	To achieve comfortable height for operation

# **TECHNICAL SPECIFICATIONS**

Panel size/resolution	7"/800×480
Systemmemory (standard/max)	3,072 MB
Systemharddisk	8 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;
	Wi-Fi 802.11 b/g/n (optional)
letwork protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP;
	HTTP(S); AppleTalk; Bonjour
Paperinput capacity (standard/max)	600 sheets / 1,100 sheets
Papertray input (standard)	1x500 sheets; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>
Paper tray input (optional)	1x500 sheets; A4; custom sizes; 60-90 g/m <sup>2</sup>
<i>l</i> anualbypass	100 sheets; A6–A4; Custom sizes; $60-210 \text{ g/m}^2$
utomatic duplexing	A5-A4; 60-210 g/m <sup>2</sup>
Finishing modes (optional)	Group; Sort; Staple (offline)
Output capacity (standard)	Max. 250 sheets
Printvolume(monthly)	Rec. 6,500 pages; Max. <sup>1</sup> 96,000 pages
Tonerlifetime	Black up to 13,000 pages
	CMYupto9,000pages
Imaging unit lifetime	Black up to 154,000 pages (imaging unit)
	CMY up to 55,000 pages (imaging unit)
Powerconsumption	220-240 V / 50/60 Hz; Less than 1.45 kW
System dimension (WxDxH)	420 x 528 x 473 mm (without options)
ystem weight	Approx.33.2kg(withoutoptions)

Imaging technology	Laser
Tonertechnology	Simitri® HD polymerised toner
Printresolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Print Speed A4 (mono/colour)	Up to 33/33 ppm
1 <sup>st</sup> printouttimeA4(mono/colour)	8.7/9.6 sec.
Pagedescriptionlanguage	PCL6 (XL3.0); PCL5c; PostScript 3 (CPSI 3016); XPS
OperatingSystem	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64);
	Windows Server 2008 (32/64); Windows Server 2008 R2;
	Windows Server 2012; Windows Server 2012 R2;
	Windows Server 2016; Windows Server 2019;
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android);
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile)
	Mobile Authentication and Pairing (iOS/Android)
	Optional: WiFi Direct

#### SYSTEM FEATURES

Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in evalutation); IP filtering
	andportblocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network
	communication; IPsecsupport; IEEE 802.1x support;
	User authentication; Authentication log; Secure print; Kerberos;
	Memory data auto deletion; Print user data encryption
Accounting (standard)	Up to 100 user accounts; Active Directory support
	(user name + password)
Accounting Functions (optional)	Biometric authentication (finger vein scanner);
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	PageScope Net Care Device Manager; PageScope Data
	Administrator; PageScope Web Connection; Print Status Notifier;
	Driver Packaging Utility; Log Management Utility

<sup>1</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed <sup>2</sup>Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
  The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
  The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
  Specifications and accessories are based on the information available at the time of printing and are subject to change
- without notice. Konica Minolta does not warrant that any specifications mentioned will be error-free. All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

